

## PRODUCT SPECIFICATIONS

Updated specifications of product catalog



	X-Light	X-Light Short	Privilege	Evolution	Breeze	E-Breeze
More information	page 24 - 25	page 24 - 25	page 26 - 27	page 28 - 29	page 30 - 31	page 32 - 35
h x w x d	430 x 360 x 470 mm <b>16.9 x 14.2 x 18.5 inches</b>	330 x 360 x 470 mm <b>12.9 x 14.2 x 18.5 inches</b>	485 x 390 x 500 mm <b>19.1 x 15.4 x 19.7 inches</b>	445 x 370 x 555 mm <b>17.5 x 14.6 x 21.9 inches</b>	460 x 390 x 500 mm <b>18.1 x 15.4 x 19.7 inches</b>	550 x 390 x 500 mm <b>21.7 x 15.4 x 19.7 inches</b>
Weight	7 kg / <b>15.4 lb</b>	6.6 kg / <b>14.6 lb</b>	28 kg / <b>61.7 lb</b>	27 kg / <b>59.5 lb</b>	27 kg / <b>59.5 lb</b>	30 kg / <b>66.1 lb</b>
Water usages per flush	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>
Color	Carbon look Custom color on request	Carbon look Custom color on request	White Custom color on request	White Custom color on request	White Custom color on request	White Custom color on request
Seat and cover (see page 62)	Carbon fibre (white bowl) Custom color and color combinations available on request	Carbon fibre (white bowl) Custom color and color combinations available on request	Thermosetting with soft closing system (Sugatsune™ damper)	Thermosetting with soft closing system Optional: Polyester soft closing	Thermosetting with soft closing system (Sugatsune™ damper)	Multifunction seat and cover Thermosetting with soft closing system
Outlet pump (see page 20 - 21)	MAC 11 12/24 v Optional: MAC 11 110/230 v	MAC 11 12/24 v	MAC 11 12/24 v Optional: MAC 11 110/230 v	MAC 11 12/24 v Optional: MAC 11 110/230 v	MAC 11 12/24 v Optional: MAC 11 110/230 v	MAC 11 12/24 v Optional: MAC 11 110/230 v
Inlet device (see page 20 - 21)	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump
Control panel (see page 64 - 67)	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch
Bidet	Matching bidet (p. 25)	Bidet X-light (p. 25)	Matching bidet (p. 27) Optional: integrated bidet function with wall mounted mixer (p. 63)	Matching bidet (p. 29) Optional: integrated bidet function with wall mounted mixer (p. 63)	Matching bidet (p. 31) Optional: integrated bidet function with side mounted mixer (p. 63)	Electronic integrated bidet (p. 32 - 35)
Feature	Ultra design, full carbon fibre, silent flush, low consumption	Ultra design, full carbon fibre, silent flush, low consumption	Italian ceramic, ultra design, silent flush, low consumption	Italian ceramic, suspended, silent flush, low consumption	Italian ceramic, smooth design, silent flush, low consumption	Italian ceramic, smooth design, silent flush, low consumption
Accessories	page 68	page 68	page 68	page 68	page 68	page 68



	Silence Plus	Silence Plus Short	Saninautico	Saninautico Short	Elegance
More information	page 38 - 39	page 38 - 39	page 40 - 41	page 40 - 41	page 42 - 43
h x w x d	460 x 390 x 510 mm <b>18.1 x 15.4 x 20.1 inches</b>	350 x 390 x 510 mm <b>13.8 x 15.4 x 20.1 inches</b>	460 x 370 x 430 mm <b>18.1 x 14.6 x 16.9 inches</b>	350 x 370 x 430 mm <b>13.8 x 14.6 x 16.9 inches</b>	460 x 370 x 430 mm <b>18.1 x 14.6 x 16.9 inches</b>
Weight	27.6 kg / <b>60.8 lb</b>	24.5 kg / <b>54.2 lb</b>	23.7 kg / <b>52.2 lb</b>	20 kg / <b>44.1 lb</b>	23.5 kg / <b>51.8 lb</b>
Water usages per flush	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>
Color*	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black
Seat and cover (see page 62)	Polyester Optional: Polyester with soft closing system [Sugatsune™ damper] / Thermosetting with soft closing	Polyester Optional: Polyester with soft closing system [Sugatsune™ damper] / Thermosetting with soft closing	Polyester Optional: Polyester with soft closing system / Thermosetting with soft closing	Polyester Optional: Polyester with soft closing system / Thermosetting with soft closing	Polyester Optional: Polyester with soft closing system [Sugatsune™ damper] / Thermosetting with soft closing
Outlet pump (see page 20 - 21)	MAC 11 12/24 v Optional: MAC 11 110/230 v	MAC 11 12/24 v	MAC 11 12/24 v Optional: MAC 11 110/230 v	MAC 11 12/24 v	MAC 11 12/24 v Optional: MAC 11 110/230 v
Inlet device (see page 20 - 21)	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump
Control panel (see page 64 - 67)	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch
Bidet	Flexi line bidets (p. 46 - 47) Optional: integrated bidet function	Flexi line bidets (p. 46 - 47) Optional: integrated bidet function	Flexi line bidets (p. 46 - 47) Optional: integrated bidet function	Flexi line bidets (p. 46 - 47) Optional: integrated bidet function	Flexi line bidets (p. 46 - 47) Optional: integrated bidet function
Feature	Italian ceramic, big seat size, silent flush, low consumption	Italian ceramic, big seat size, silent flush, low consumption	Italian ceramic, medium seat size, silent flush, low consumption	Italian ceramic, medium seat size, silent flush, low consumption	Italian ceramic, small seat size, silent flush, low consumption
Accessories	page 68	page 68	page 68	page 68	page 68

Elegance Cut	Elegance Short	Elegance Cut Short	Prestige 45	Prestige 50
				
page 42 - 43	page 42 - 43	page 42 - 43	page 44 - 45	page 44 - 45
460 x 370 x 430 mm <b>18.1 x 14.6 x 16.9 inches</b>	360 x 370 x 430 mm <b>14.2 x 14.6 x 16.9 inches</b>	360 x 370 x 430 mm <b>14.2 x 14.6 x 16.9 inches</b>	490 x 380 x 465 mm <b>19.3 x 15.0 x 18.3 inches</b>	470 x 350 x 510 mm <b>18.5 x 13.8 x 20.1 inches</b>
23 kg / <b>50.7 lb</b>	20.5 kg / <b>45.2 lb</b>	19.9 kg / <b>43.8 lb</b>	22.6 kg / <b>49.8 lb</b>	26.8 kg / <b>59.1 lb</b>
0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>
White	White	White	White	White
Optional: bone / black	Optional: bone / black	Optional: bone / black		
Polyester	Polyester	Polyester	Polyester	Polyester
Optional: Polyester with soft closing system [Sugatsune™ damper] / Thermosetting with soft closing	Optional: Polyester with soft closing system [Sugatsune™ damper] / Thermosetting with soft closing	Optional: Polyester with soft closing system [Sugatsune™ damper] / Thermosetting with soft closing		
MAC 11 12/24 v	MAC 11 12/24 v	MAC 11 12/24 v	MAC 11 12/24 v	MAC 11 12/24 v
			Optional: MAC 11 230 v	Optional: MAC 11 230 v
Solenoid	Solenoid	Solenoid	Solenoid	Solenoid
Optional: inlet pump	Optional: inlet pump	Optional: inlet pump	Optional: inlet pump	Optional: inlet pump
All-in-one	All-in-one	All-in-one	Integrated push button, full flush cycle	Integrated push button, full flush cycle
Optional: Multiframe / Argent / Touch / Premium / Premium Touch	Optional: Multiframe / Argent / Touch / Premium / Premium Touch	Optional: Multiframe / Argent / Touch / Premium / Premium Touch		
Flexi line bidets (p. 46 - 47)	Flexi line bidets (p. 46 - 47)	Flexi line bidets (p. 46 - 47)	Flexi line bidets (p. 46 - 47)	Flexi line bidets (p. 46 - 47)
Optional: integrated bidet function	Optional: integrated bidet function	Optional: integrated bidet function		
Italian ceramic, small seat size, silent flush, low consumption	Italian ceramic, small seat size, silent flush, low consumption	Italian ceramic, small seat size, silent flush, low consumption	Italian ceramic, home like, silent flush, low consumption	Italian ceramic, home like, silent flush, low consumption
page 68	page 68	page 68	page 68	page 68



compact line



	Nano	Compass Short	Easy Fit	Easy Fit Short
More information	page 50 - 51	page 52 - 53	page 54 - 55	page 54 - 55
h x w x d	295 x 370 x 446 mm <b>11.6 x 14.6 x 17.5 inches</b>	365 x 365 x 485 mm <b>14.4 x 14.4 x 19.1 inches</b>	445 x 365 x 475 mm <b>17.5 x 14.4 x 18.7 inches</b>	365 x 365 x 475 mm <b>14.4 x 14.4 x 18.7 inches</b>
Weight	17.6 kg / <b>38.8 lb</b>	19.5 kg / <b>40.0 lb</b>	21 kg / <b>47.4 lb</b>	19.5 kg / <b>43.0 lb</b>
Water usages per flush	0.5 - 2 L / <b>0.1 - 0.5 gal</b>	0.5 - 2 L / <b>0.1 - 0.5 gal</b>	0.5 - 2 L / <b>0.1 - 0.5 gal</b>	0.5 - 2 L / <b>0.1 - 0.5 gal</b>
Color*	White	White	White Optional: bone	White Optional: bone
Seat and cover (see page 62)	Thermosetting	Thermosetting soft closing	Molded wood with multicoat enamel finish	Molded wood with multicoat enamel finish
Outlet pump (see page 20 - 21)	MAC 4 12/24 v	MAC 4 12/24 v	MAC 4 12/24 v	MAC 4 12/24 v
Inlet device (see page 20 - 21)	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump
Control panel (see page 64 - 67)	Eco rocker switch Optional: Premium Plus	Eco rocker switch Optional: Premium Plus	Eco rocker switch Optional: Premium Plus	Eco rocker switch Optional: Premium Plus
Bidet	No matching bidet	No matching bidet	No matching bidet	No matching bidet
Feature	Italian ceramic, silent flush, low consumption, only 295 mm / 11.6 inches	Italian ceramic, compact versatile, silent flush, low consumption	Italian ceramic, compact, silent flush, low consumption	Italian ceramic, compact, silent flush, low consumption
Accessories	page 68	page 68	page 68	page 68

For more information or to find your nearest Thetford Marine distributor or service centre check [www.thetfordmarine.com](http://www.thetfordmarine.com)  
Per maggiori informazioni e per trovare il distributore ed il centro assistenza più vicino visita il nostro sito [www.thetfordmarine.com](http://www.thetfordmarine.com)

All rights reserved. Thetford Marine is not responsible for any printing, mechanical or other errors and reserves the right to make changes in the product specifications without prior warning. Tutti i diritti riservati. Thetford Marine non è responsabile per qualsiasi errore di stampa, di contenuto o di altro tipo di errore e si riserva il diritto di modificare i prodotti e le specifiche senza preavviso.


Flexi Line 2<sup>nd</sup> generation toilets



	Silence Plus 2G	Silence Plus 2G Short	Elegance 2G	Elegance 2G Cut	Elegance 2G Short	Elegance 2G Cut Short
<b>FOOTPRINT</b> (same as previous model)	405 x 280 mm <b>15.9 x 11.1 inches</b>	405 x 280 mm <b>15.9 x 11.1 inches</b>	390 x 280 mm <b>15.4 x 11.1 inches</b>	310 x 280 mm <b>12.2 x 11.1 inches</b>	390 x 280 mm <b>15.4 x 11.1 inches</b>	327 x 280 mm <b>12.8 x 11.1 inches</b>
<b>H X W X D</b> (same as previous model)	460 x 390 x 510 mm <b>18.1 x 15.4 x 20.1 inches</b>	360 x 390 x 510 mm <b>13.8 x 15.4 x 20.1 inches</b>	460 x 370 x 430 mm <b>18.1 x 14.6 x 16.9 inches</b>	460 x 370 x 430 mm <b>18.1 x 14.6 x 16.9 inches</b>	360 x 370 x 430 mm <b>14.2 x 14.6 x 16.9 inches</b>	360 x 370 x 430 mm <b>14.2 x 14.6 x 16.9 inches</b>
<b>WEIGHT</b>	25.5 kg / <b>56.2 lb</b>	23.5 kg / <b>51.8 lb</b>	22.5 kg / <b>49.6 lb</b>	22 kg / <b>48.5 lb</b>	19.5 kg / <b>42.9 lb</b>	19 kg / <b>41.8 lb</b>
<b>WATER USAGES PER FLUSH</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>	0.5 - 2.7 L / <b>0.1 - 0.7 gal</b>
<b>COLOR</b>	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black
<b>SEAT AND COVER</b>	Polyester Optional: - Polyester with soft closing (Sugatsune™ damper) - Thermosetting with soft closing damper	Polyester Optional: - Polyester with soft closing (Sugatsune™ damper) - Thermosetting with soft closing damper	Polyester Optional: - Polyester with soft closing (Sugatsune™ damper) - Thermosetting with soft closing damper	Polyester Optional: - Polyester with soft closing (Sugatsune™ damper) - Thermosetting with soft closing damper	Polyester Optional: - Polyester with soft closing (Sugatsune™ damper) - Thermosetting with soft closing damper	Polyester Optional: - Polyester with soft closing (Sugatsune™ damper) - Thermosetting with soft closing damper
<b>OUTLET PUMP</b>	MAC 11 12/24 v Optional: MAC 11 110/230 v	MAC 11 12/24 v	MAC 11 12/24 v Optional: MAC 11 110/230 v	MAC 11 12/24 v	MAC 11 12/24 v	MAC 11 12/24 v
<b>INLET DEVICE</b>	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump	Solenoid Optional: inlet pump
<b>CONTROL PANEL</b>	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch	All-in-one Optional: Multiframe / Argent / Touch / Premium / Premium Touch
<b>BIDET</b>	Matching bidet: Bidet Silence Plus 2G Optional: integrated bidet function	Matching bidet: Bidet Silence Plus 2G Short Optional: integrated bidet function	Matching bidet: Bidet Elegance 2G Optional: integrated bidet function	No matching bidet Optional: integrated bidet function	Matching bidet: Bidet Elegance 2G Short Optional: integrated bidet function	No matching bidet Optional: integrated bidet function

Standard control panel

Optional control panels



All-in-one

Multiframe

Argent

Touch

Premium

Premium Touch

Flexi Line 2<sup>nd</sup> generation bidets



<b>FOOTPRINT</b> (same as previous model)	405 x 280 mm <b>15.9 x 11.1 inches</b>	405 x 280 mm <b>15.9 x 11.1 inches</b>	390 x 280 mm <b>15.4 x 11.1 inches</b>	390 x 280 mm <b>15.4 x 11.1 inches</b>
<b>H X W X D</b> (same as previous model)	400 x 390 x 510 mm <b>15.7 x 15.4 x 20.1 inches</b>	300 x 390 x 510 mm <b>11.8 x 15.4 x 20.1 inches</b>	400 x 370 x 430 mm <b>15.7 x 14.6 x 16.9 inches</b>	300 x 370 x 430 mm <b>11.8 x 14.6 x 16.9 inches</b>
<b>WEIGHT</b>	16 kg / <b>35.3 lb</b>	14 kg / <b>30.9 lb</b>	13 kg / <b>28.7 lb</b>	11 kg / <b>24.3 lb</b>
<b>COLOR</b>	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black	White Optional: bone / black
<b>TOILET</b>	Matching toilet: Silence Plus 2G	Matching toilet: Silence Plus 2G Short	Matching toilet: Elegance 2G	Matching toilet: Elegance 2G Short

### Space saving shower toilet

A solution for tight spaces is offered by Tecma with the integrated bidet function. All new Flexi Line toilets offer the possibility to integrate the toilet and the bidet function in one single unit.

A strategically positioned swivel spray nozzle and easy accessible, temperature regulated mono-water tap at the right hand side of the unit gives the user a complete feeling of well-being and hygiene.

